





R 5 803 L R 5 803 R 5 803 R




Parts of modular manifold RB 5 __ 803





RB 5 __ 803 Orifice size: 15 mm



R 5 121 GL R 5 121 G R 5 121 GR



Parts of modular manifold RB 5 __ 121 G



RB 5 __ 121 G Orifice size: 17 mm

Modular manifold system for common connections to ports 1 (pressure), 3 and 5 (exhaust). The system can be build and taken apart just by operating two hexagon socket screws. Additional stations can be added at any position and any time.

The following valves can be assembled to the system **RB 5 __ 803**:

5/2 single sol.	G 1/4"	MH 510 803	page 2.5.2.2.2
5/2 double sol.	G 1/4"	MH 520 803	page 2.5.2.2.6
5/3 solenoid	G 1/4"	MH 53_ 803	page 2.5.3.2.2

The system consists of:

End-plate right	type R 5 803 R
End-plate left	type R 5 803 L
Individual position	type R 5 803

Blanking plates are also available type BP 5 803.

The following valves can be assembled to the system **RB 5 __ 121 G**:

Solenoid valves:

5/2 single sol.	G 1/2"	MH 510 121 G	page 2.5.2.1.6
5/2 double sol.	G 1/2"	MH 520 121 G	page 2.5.2.1.12
5/3 solenoid	G 1/2"	MH 53_ 121 G	page 2.5.3.1.5

Pneumatically actuated valves :

5/2 single pilot	G 1/2"	P 510 121 G	page 2.4.2.4
5/2 double pilot	G 1/2"	P 520 121 G	page 2.4.2.8
5/3 pneumatic	G 1/2"	P 53_ 121 G	page 2.4.3.3

Blanking plates are also available type BP 5 121 G.

The system consists of:

End-plate right	type R 5 121 GR
End-plate left	type R 5 121 GL
Individual position	type R 5 121 G

The plates can also be ordered assembled by the manufacturer. In this case order RB 5 __ 803 (G 1/4") or RB 5 __ 121 G (G 1/2"). Please add two digits for the number of positions required.

Type	Function	Weight
R 5 803 R	End-plate right	0,20 kg
R 5 803 L	End-plate left	0,20 kg
R 5 803	Individual position	0,10 kg

Type	Function	Weight
R 5 121 GR	End-plate right	0,24 kg
R 5 121 GL	End-plate left	0,24 kg
R 5 121	Individual position	0,15 kg